



福建省南云包装设备有限公司
NANYUN PACKING MACHINERY CO., LTD.

Add: No.258 Donghuan Road, Shancheng Town, Zhangzhou City, Fujian, China
Mobile&Whatsapp&Wechat: 0086-15006001107 QQ: 1820077123
Website: www.ipackall.com Email: ipackall@hotmail.com

HOW TO SELECT A LABELING MACHINE

- ✓What is being labeled? Is it a bag, a carton, a clamshell, a pouch, or a bottle? A machine appropriate for labeling jars and bottles may not be appropriate for a flexible package.
- ✓List the type of product surfaces of the product. For example, the surface can be flat, concave, textured, convex, etc.
- ✓What is the product made of? An application surface that is smooth and clean may not require the same labeler as a rigid or rough surface.
- ✓Where on the product do you want the label? Some labeling machines are made for wrap-around labels on bottles while others do simultaneous top and bottom or two panel labels.
- ✓Consider where the labeling process will take place in your production line. This will help determine the type of labeler and application needed, and tell label sizes that are possible you will use.

The questions above can narrow down your options. Share as much information with us as you can to help ensure you are getting the most suitable labeling solution.

Wanna NanYun Product List, contact me: ipackall@hotmail.com or
Whatsapp & Wechat: +86-15006001107




福建省南云包装设备有限公司
NANYUN PACKING MACHINERY CO., LTD.

Add: No.258 Donghuan Road, Shancheng Town, Zhangzhou City, Fujian, China
Mobile&Whatsapp&Wechat: 0086-15006001107 QQ: 1820077123
Website: www.ipackall.com Email: ipackall@hotmail.com

1. Label Width: _____ Label Length: _____; For special shape label, please supply drawing or pictures.

2. What type of sticker? Adhesive opaque sticker ; Transparent sticker ; Both .

3. What is your sticker re-wind direction? #1 #2 #3 #4



Max. out diameter that will fit on our equipment is 300mm. Core size (inner diameter) is most commonly 76mm.

4. Whether the label is a composite film material Yes ; No .

(Remark: Germany Leuze sensor is not universal for composite film material currently)

5. Add date printer or not? ① Date Coding Machine ; ② TTO Printer ; ③ Ink jet Printer ; ④ Laser Marker ; ⑤ Need not add .

6. Any requirement for coding direction? Horizontal ; Vertical ; No required .

7. Any requirement for coding position? Yes ; No .

8. Require Touch Screen in Chinese & English Version? Yes ; No _____;

9. Machine standard voltage AC220V 50/60Hz, Different voltage



福建省南云包装设备有限公司
NANYUN PACKING MACHINERY CO., LTD.

Add: No.258 Donghuan Road, Shancheng Town, Zhangzhou City, Fujian, China
Mobile&Whatsapp&Wechat: 0086-15006001107 QQ: 1820077123
Website: www.ipackall.com Email: ipackall@hotmail.com

required? Yes (Voltage: _____); No .

10. Labeling Speed Required: _____;

Remark: If label width \leq 60mm, label coming-out speed 24 meters/minute, production capacity=24meters/(product length 100mm+each product distance 20~50mm)=160~200pcs/min;

11. Our standard conveyor height 850±30mm; 680±30mm (Optional), any special height required? Yes _____; No .

12. Whether connect to other equipment or other production line? Yes _____; No .

13. Product Length*Width*Height _____; For special shape products, please supply drawing or pictures.

14. Machine conveying direction (standard: from left to right), any different requirement? Yes (conveying direction is _____); No .